

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	((("6353885") or ("6205476") or ("6064385") or ("5650776") or ("5546595") or ("20030046421")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/17 11:59
S2	2	((("6192480") or ("5560022")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/17 12:00
S3	212	(715/772).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/17 14:51
S4	93	(715/833).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/17 16:54
S5	178	(715/970).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/17 14:52
S6	65	(715/974).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/17 14:52
S7	16	S4 AND ((lock\$3 OR fix\$3) WITH (slider OR control))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 15:08
S8	140	"715"/\$ AND (interface WITH (edit\$3 OR control\$4) WITH (performance OR temperature OR battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 15:17
S9	0	"715"/\$ AND (interface NEAR3 (edit\$3) NEAR3 (performance OR temperature OR battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 15:31

EAST Search History

S10	13	slider NEAR3 dependent NEAR3 (parameter OR value)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 15:31
S11	13	("5167024" "5230074" "5345392" "5469553" "5481733" "5493670" "5560022" "5613135" "5630148" "5682273" "5692204" "5694607" "5760636").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/12/17 16:05
S12	3	("6192480").URPN.	USPAT	AND	OFF	2007/12/17 16:05
S13	6	("5930358" "6169382" "6195732" "6314473" "6578106" "6757481").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/12/17 16:18
S14	1	("6892249").URPN.	USPAT	AND	OFF	2007/12/17 16:18
S15	2	"715"/\$ AND (lock\$3 NEAR3 (slider OR (slide\$bar)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 16:21
S16	13	dependent WITH parameter WITH (fixing OR locking) WITH (single OR one)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 19:55
S17	197	adjust\$3 NEAR3 dependent NEAR3 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 20:20
S18	42	(adjust\$3 NEAR3 dependent NEAR3 (parameter OR value OR setting)) AND ((hold OR retain OR lock OR fix) NEAR3 (parameter OR value OR setting))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 18:21
S19	1	("5495412").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/17 18:21
S20	11	locking NEAR3 user NEAR3 preference	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 18:42

EAST Search History

S21	91	disabl\$3 NEAR3 slider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 19:39
S22	4	(disabl\$3 NEAR3 slider) WITH user	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 19:40
S23	3	(setting NEAR3 (fixed ADJ value)) WITH slider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 19:53
S24	58	dependent WITH parameter WITH (fixed ADJ value)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 19:58
S25	2	"715"/\$ AND ((dependent NEAR3 parameter) WITH (fixed ADJ value))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 19:58
S26	23	(adjust\$3 NEAR3 dependent NEAR3 parameter) AND (fixed NEAR3 (value OR parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/17 20:20
S27	3	restrict\$3 NEAR3 range NEAR3 dependent NEAR3 (variable OR parameter OR value)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/18 11:57
S28	316	range WITH (bas\$3 OR determin\$3) WITH (user NEAR3 (select\$3 OR input\$3) NEAR3 (value OR number OR parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/18 11:59
S29	250	(range WITH (bas\$3 OR determin\$3) WITH (user NEAR3 (select\$3 OR input\$3) NEAR3 (value OR number OR parameter))) AND depend\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/18 12:01
S30	16	("715"/\$ OR "710"/\$ OR "713"/\$) AND (range WITH (bas\$3 OR determin\$3) WITH (user NEAR3 (select\$3 OR input\$3) NEAR3 (value OR number OR parameter)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/18 12:32

EAST Search History

S31	1	("7131016").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/18 12:32
S32	80	(optimiz\$3 NEAR3 parameter) AND slider AND lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/18 14:00
S33	14	("4912657" "5301118" "5552995" "5655087" "5765137" "5815394" "5844554" "5912678" "6009406" "6041263" "6125374" "6249714" "6295513" "6327551").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/12/18 16:43
S34	73	slider NEAR3 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/18 16:56
S35	49	@pd>"20060525" AND 715/772. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2007/12/19 14:32
S36	22	@pd>"20060525" AND 715/833. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2007/12/19 14:32
S37	11	@pd>"20060525" AND 715/970. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2007/12/19 14:32
S38	5	@pd>"20060525" AND 715/974. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2007/12/19 14:32
S39	6	(S35 OR S36 OR S37 OR S38) AND ((lock\$3 OR fix\$3 OR disabl\$3) WITH (slider OR (slide\$bar) OR constraint))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/19 14:37

EAST Search History

S40	9	(S35 OR S36 OR S37 OR S38) AND ((multi\$dimensional OR multiple OR several) WITH (parameter OR value OR constraint OR variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/12/19 14:46
-----	---	---	---	-----	----	------------------